

Shear Wrenches



BOLTING SOLUTION COMPANY

Bolting

CAPACITY

- **A325** (F1852) TC Bolts – 1/2", 5/8", 3/4", 7/8", M16, M20
- **A490** (F2280) TC Bolts – 1/2", 5/8", 3/4", 7/8", M16, M20

ACCESSORIES

200mm (7 7/8") extension socket for 3/4" TC Bolts.

SPECIFICATIONS

MODEL	VOLTAGE	MAX CURRENT	RATED POWER
S-61EZ	110-120 V	13.5 A	1300W
S-62EZ	220-230 V	5.5 A	1100W

S-61EZ
SHEAR WRENCH



CAPACITY

- **A325** (F1852) TC Bolts – 5/8", 3/4", 7/8"
- **A490** (F2280) TC Bolts – 5/8", 3/4", 7/8"

ACCESSORIES

84mm (3 5/16") extension socket for 3/4" & 7/8" TC

SPECIFICATIONS

MODEL	VOLTAGE	MAX CURRENT
6922NB	115 V	12.0 A

6922NB
SHEAR WRENCH



Shear Wrenches



Bolting

GS-91EZ

SHEAR WRENCH



CAPACITY

- A325** (F1852) TC Bolts – 5/8", 3/4", 7/8", 1", M16, M20, M22
- A490** (F2280) TC Bolts – 5/8", 3/4", 7/8", 1", M16, M20, M22

ACCESSORIES

200mm (7 7/8") extension socket for 7/8" TC Bolts.

SPECIFICATIONS

MODEL	VOLTAGE	MAX CURRENT	RATED POWER
GS-91EZ	110-120 V	17 A	1750W
GS-92EZ	220-230 V	8.5 A	1750W

GS-111EZ

SHEAR WRENCH



CAPACITY

- A325** (F1852) TC Bolts – 3/4", 7/8", 1", 1 1/8", M20, M22, M24
- A490** (F2280) TC Bolts – 3/4", 7/8", 1", 1 1/8", M20, M22, M24

ACCESSORIES

200mm (7 7/8") extension socket for 1" & 1 1/8" TC Bolts.

SPECIFICATIONS

MODEL	VOLTAGE	MAX CURRENT	RATED POWER
GS-111EZ	110-120 V	19 A	2000W
GS-112EZ	220-230 V	9.5 A	2000W

Shear Wrenches



Bolting

CAPACITY

- A325** (F1852) TC Bolts – 1", 1 1/8", 1 1/4", M27, M30
- A490** (F2280) TC Bolts – 1", 1 1/8", M27, M30

SPECIFICATIONS

MODEL	VOLTAGE	MAX CURRENT	RATED POWER
GV-301EZ	110-120 V	11 A	1200W
GV-302EZ	220-230 V	5.5 A	1200W

GV-301EZ
 SHEAR WRENCH



CAPACITY

- A325** (F1852) TC Bolts – 5/8", 3/4", 7/8", M16, M20, M22
- A490** (F2280) TC Bolts – 5/8", 3/4", 7/8", M16, M20, M22

SPECIFICATIONS

MODEL	VOLTAGE	MAX CURRENT	RATED POWER
GMC-221EZ	110-120 V	13.5 A	1550 W
GMC-222EZ	220-230 V	7.0 A	1550 W

GMC-221EZ
 SHEAR WRENCH



Shear Wrenches



Bolting

GHC-241EZ

SHEAR WRENCH



CAPACITY

- **A325** (F1852) TC Bolts – 3/4", 7/8", 1", M16, M20, M22, M24
- **A490** (F2280) TC Bolts – 3/4", 7/8", 1", M16, M20, M22, M24

SPECIFICATIONS

MODEL	VOLTAGE	MAX CURRENT	RATED POWER
GHC-241EZ	110-120 V	14.5 A	1650 W
GHC-242EZ	220-230 V	7.5 A	1650 W

GVC-301EZ

SHEAR WRENCH



CAPACITY

- **A325** (F1852) TC Bolts – 1", 1 1/8", 1 1/4", M27, M30
- **A490** (F2280) TC Bolts – 1", 1 1/8", 1 1/4", M27, M30

SPECIFICATIONS

MODEL	VOLTAGE	MAX CURRENT	RATED POWER
GVC-301EZ	110-120 V	14.0 A	1550W
GVC-302EZ	220-230 V	7.0 A	1550W